

Refine Search

Search Results -

Terms	Documents
(709/5 709/213).ccls.	721

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L23

Search History

 DATE: Tuesday, January 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L23</u> 709/5,213.ccls.	721	<u>L23</u>
<u>L22</u> 717/136,137.ccls.	274	<u>L22</u>
<u>L21</u> 707/10.ccls.	3997	<u>L21</u>
<u>L20</u> 709/223.ccls.	2144	<u>L20</u>
<u>L19</u> 717/100,168.ccls.	505	<u>L19</u>
<u>L18</u> L17 and l4	17	<u>L18</u>
<u>L17</u> 709/201,203,205,218,231.ccls.	5700	<u>L17</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
<u>L16</u> ((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L16</u>
<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		

<u>L15</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$)) <i>DB=JPAB; PLUR=YES; OP=ADJ</i>	0	<u>L15</u>
<u>L14</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$)) <i>DB=EPAB; PLUR=YES; OP=ADJ</i>	0	<u>L14</u>
<u>L13</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$)) <i>DB=PGPB; PLUR=YES; OP=ADJ</i>	0	<u>L13</u>
<u>L12</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$)) <i>DB=USPT; PLUR=YES; OP=ADJ</i>	115	<u>L12</u>
<u>L11</u>	L10 and (first near5(request\$ Or response\$ Or message\$)) and (second near5 (request\$ Or reponse\$ or message\$))	33	<u>L11</u>
<u>L10</u>	L1 and L5	150	<u>L10</u>
<u>L9</u>	L2 and L5	4	<u>L9</u>
<u>L8</u>	L3 and L5	3	<u>L8</u>
<u>L7</u>	L5 and L4	3	<u>L7</u>
<u>L6</u>	L5 and 4	1034	<u>L6</u>
<u>L5</u>	717/103,108,116,118,171,172,175,176,177.ccls.	1036	<u>L5</u>
<u>L4</u>	L3 and (java or (platfrom\$ near4 independ\$))	77	<u>L4</u>
<u>L3</u>	L2 and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))	431	<u>L3</u>
<u>L2</u>	L1 and request\$ near4 (stream\$)	1119	<u>L2</u>
<u>L1</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)	27600	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L17 and L4	17

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L18

Search History

 DATE: Tuesday, January 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <u>result</u> <u>set</u>
side by side		
DB=USPT; PLUR=YES; OP=ADJ		
<u>L18</u> L17 and l4	17	<u>L18</u>
<u>L17</u> 709/201,203,205,218,231.ccls.	5700	<u>L17</u>
DB=TDBD; PLUR=YES; OP=ADJ		
<u>L16</u> ((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L16</u>
DB=DWPI; PLUR=YES; OP=ADJ		
<u>L15</u> ((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L15</u>
DB=JPAB; PLUR=YES; OP=ADJ		
((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and		

<u>L14</u>	((translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L14</u>
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L13</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	115	<u>L12</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L11</u>	L10 and (first near5(request\$ Or response\$ Or message\$)) and (second near5 (request\$ Or reponse\$ or message\$))	33	<u>L11</u>
<u>L10</u>	11 and 15	150	<u>L10</u>
<u>L9</u>	12 and 15	4	<u>L9</u>
<u>L8</u>	13 and 15	3	<u>L8</u>
<u>L7</u>	L5 and 14	3	<u>L7</u>
<u>L6</u>	L5 and 4	1034	<u>L6</u>
<u>L5</u>	717/103,108,116,118,171,172,175,176,177.ccls.	1036	<u>L5</u>
<u>L4</u>	L3 and (java or (platfrom\$ near4 independ\$))	77	<u>L4</u>
<u>L3</u>	L2 and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))	431	<u>L3</u>
<u>L2</u>	L1 and request\$ near4 (stream\$)	1119	<u>L2</u>
<u>L1</u>	((send\$ and receive\$) or exchang\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)	27600	<u>L1</u>

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

disparate and **request** and **response** and **transfer** and **format** and **translate** and **java**

 Found **29,902** of
169,166

 Sort results
by

 Display
results


[Save results to a Binder](#)

[Search Tips](#)
☐ Open results in a new
window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Publisher: IBM Press

 Full text available: [pdf\(4.21 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [Computing curricula 2001](#)

 September 2001 **Journal on Educational Resources in Computing (JERIC)**

Publisher: ACM Press

 Full text available: [pdf\(613.63 KB\)](#)
[html\(2.78 KB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

3 [Business-to-business interactions: issues and enabling technologies](#)

B. Medjahed, B. Benatallah, A. Bouguettaya, A. H. H. Ngu, A. K. Elmagarmid

 May 2003 **The VLDB Journal — The International Journal on Very Large Data Bases**,
Volume 12 Issue 1

Publisher: Springer-Verlag New York, Inc.

 Full text available: [pdf\(558.34 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Business-to-Business (B2B) technologies pre-date the Web. They have existed for at least as long as the Internet. B2B applications were among the first to take advantage of advances in computer networking. The Electronic Data Interchange (EDI) business standard is an illustration of such an early adoption of the advances in computer networking. The ubiquity and the affordability of the Web has made it possible for the masses of businesses to automate their B2B interactions. However, several issu ...

Keywords: B2B Interactions, Components, E-commerce, EDI, Web services, Workflows, XML



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

disparate and request and response and transfer and format and translate ...



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

disparate and **request** and **response** and **transfer** and **format** and **translate** and **java** and **html**

Found **32,962**

of **169,166**

Sort results
by

relevance

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display
results

expanded form

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 141 - 160 of 200 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

141 [XQBE \(XQuery By Example\): A visual interface to the standard XML query language](#)

Daniele Braga, Alessandro Campi, Stefano Ceri

June 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 2

Publisher: ACM Press

Full text available: pdf(2.93 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The spreading of XML data in many contexts of modern computing infrastructures and systems causes a pressing need for adequate XML querying capabilities; to address this need, the W3C is proposing XQuery as the standard query language for XML, with a language paradigm and a syntactic flavor comparable to the SQL relational language. XQuery is designed for meeting the requirements of skilled database programmers; its inherent complexity makes the new language unsuited to unskilled users. In this a ...

Keywords: Human interfaces, XML, XQuery, semi-structured data, visual query languages

142 [Interaction I: The virtual learning space: an interactive 3D environment](#)

Anja Le Blanc, Jonathan Bunt, Jim Petch, Yien Kwok

March 2005 **Proceedings of the tenth international conference on 3D Web technology**

Publisher: ACM Press

Full text available: pdf(648.44 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

This paper describes the Virtual Learning Space (VLS) project, a multi-user, distance learning environment. It describes the historical background which led to the proposal for this project, as well as the educational requirements and the design cycle undertaken. Technical details about the implementation are discussed, including a description of the technologies involved and their interaction with each other, a description of the application, and examples of procedures to create interactivity w ...

Keywords: JAVA, VRML, distance learning, multi user

143 [Mobile and Cooperative Systems: Information sharing and security in dynamic](#)

[coalitions](#)

Charles E. Phillips, T.C. Ting, Steven A. Demurjian

June 2002 **Proceedings of the seventh ACM symposium on Access control models and**

Refine Search

Search Results -

Terms	Documents
(707/10).ccls.	3997

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Search History

 DATE: Tuesday, January 17, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L21</u>	707/10.ccls.	3997	<u>L21</u>
<u>L20</u>	709/223.ccls.	2144	<u>L20</u>
<u>L19</u>	717/100,168.ccls.	505	<u>L19</u>
<u>L18</u>	L17 and l4	17	<u>L18</u>
<u>L17</u>	709/201,203,205,218,231.ccls.	5700	<u>L17</u>
	<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$)) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L16</u>
	<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
<u>L15</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4	0	<u>L15</u>

	(message\$ or request\$) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))		
	<i>DB=JPAB; PLUR=YES; OP=ADJ</i>		
<u>L14</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L14</u>
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
<u>L13</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	0	<u>L13</u>
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)and request\$ near4 (stream\$) and (first\$ near4 (message\$ or request\$) and (second\$ near4 (message or request\$))and (java or (platfrom\$ near4 independ\$))	115	<u>L12</u>
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L11</u>	L10 and (first near5(request\$ Or response\$ Or message\$) and (second near5 (request\$ Or reponse\$ or message\$))	33	<u>L11</u>
<u>L10</u>	L1 and L5	150	<u>L10</u>
<u>L9</u>	L2 and L5	4	<u>L9</u>
<u>L8</u>	L3 and L5	3	<u>L8</u>
<u>L7</u>	L5 and L4	3	<u>L7</u>
<u>L6</u>	L5 and 4	1034	<u>L6</u>
<u>L5</u>	717/103,108,116,118,171,172,175,176,177.ccls.	1036	<u>L5</u>
<u>L4</u>	L3 and (java or (platfrom\$ near4 independ\$))	77	<u>L4</u>
<u>L3</u>	L2 and (first\$ near4 (message\$ or request\$) and (second\$ near4 (message or request\$))	431	<u>L3</u>
<u>L2</u>	L1 and request\$ near4 (stream\$)	1119	<u>L2</u>
<u>L1</u>	((send\$ and receive\$) or exchange\$) and request\$ and respons\$ and format\$ and (translat\$ Or transform\$)	27600	<u>L1</u>

END OF SEARCH HISTORY